

CONTENTS

Participants	v
Abbreviations	ix
Introduction	xiii
<u>The monographs¹</u>	
Abamectin	1
Acephate	3
Aldicarb **	19
Benomyl	119
Bentazone	137
Captan	157
Carbendazim	231
Chlormequat **	253
Chlorpyrifos-methyl	319
Clethodim *	323
DDT	363
Diazinon	365
Dicofol	369
Dimethoate **	383
Diquat **	397
Disulfoton	469
Ethephon **	511
Ethion **	571
Fentin	615
Folpet	619
Glufosinate-ammonium	625
Glyphosate	673
Heptachlor	685
Hexythiazox	687
Imazalil	697
Iprodione **	701
Methamidophos	815
Methidathion	857
Monocrotophos	863
Parathion-methyl	867
Phosalone **	937
Pirimiphos-methyl	1021
Profenofos	1025
Propiconazole	1043
Propylenethiourea (PTU)	1053

¹ * first evaluation; ** re-evaluation in CCPR periodic review programme

	Tebuconazole *	1055
	Tecnazene ,	1199
	Thiophanate-methyl	1221
	Tolclofos-methyl *	1237
ANNEX I	ADIs, MRLs and GLs	1291
ANNEX II	Previous FAO and WHO documents	1309

**1994 JOINT MEETING OF THE FAO PANEL OF EXPERTS ON
PESTICIDE RESIDUES IN FOOD AND THE ENVIRONMENT
AND THE WHO EXPERT GROUP ON PESTICIDE RESIDUES**

Rome, 19-28 September 1994

PARTICIPANTS

WHO Expert Group on Pesticide Residues

Dr A.L. Black
Medical Services Adviser in Toxicology
Department of Human Services and Health
Canberra, Australia

Professor J.F. Borzelleca *Vice-Chairman*
Pharmacology, Toxicology
Medical College of Virginia
Virginia Commonwealth University
Richmond, Virginia, USA

Dr P. Fenner-Crisp *Rapporteur*
Acting Deputy Director
Office of Pesticide Programs (H7501C)
US Environmental Protection Agency
Washington, D.C., USA

Professor O. Pelkonen
Professor of Pharmacology
Department of Pharmacology and Toxicology
University of Oulu,
Oulu, Finland

Professor A. Rico
Biochemistry-Toxicology
Physiopathology and Experimental Toxicology Laboratory (INRA)
Ecole Nationale Vétérinaire, Toulouse, France

Dr Peipei Yao
Professor of Toxicology
Institute of Occupational Medicine, CAPM
Ministry of Public Health
Beijing, China

FAO Panel of Experts on Pesticide Residues in Food and the Environment⁹

Dr D.C. Abbott
Ashted, Surrey, UK

Dr A. Ambrus *Rapporteur*
Budapest Plant Health and Soil Conservation Station
Budapest, Hungary

Dr Ursula Banasiak
Federal Biological Research Centre for Agriculture and Forestry
Kleinmachnow, Germany

Mr D.J. Hamilton
Department of Primary Industries
Indooroopilly, Brisbane, Queensland,
Australia

Mr N.F. Ives *Chairman*
Health Effects Division (H7509C)
US Environmental Protection Agency
Washington, D.C., USA

Ms Elena Masoller
Servicios de Laboratorios
Ministerio de Ganadería, Agricultura y Pesca
Montevideo, Uruguay

Mr T. Sakamoto
Assistant Director
Plant Protection Division

Ministry of Agriculture, Forestry and Fisheries
Chiyoda-ku, Tokyo, Japan

Dr B. Worobey
Chemical Evaluation Division
Bureau of Chemical Safety
Health Canada,
Ottawa, Ontario, Canada

Secretariat

Mrs P.H. van Hoeven-Arentzen (WHO Temporary Adviser)
National Institute of Public Health and Environmental Protection
Bilthoven, The Netherlands

Dr Elisabeth Bosshard (WHO Temporary Adviser)
Federal Office of Public Health
Division of Food Science
Institute of Toxicology
Schwerzenbach, Switzerland

Mrs M. Caris (WHO Temporary Adviser)
Bureau of Chemical Hazards
Environmental Health Centre
Health Canada
Ottawa, Ontario, Canada

Dr P. Chamberlain (WHO Consultant)
Veterinary Medical Officer
Center for Veterinary Medicine
Food and Drug Administration
Rockville, MD, USA

Dr W.H. van Eck
Chairman, Codex Committee on Pesticide Residues
Food and Product Safety Division
Ministry of Health, Welfare and Sport
Rijswijk, The Netherlands

Dr K. Fujimori (WHO Temporary Adviser)
Division of Pharmacology
Biological Safety Research Center
National Institute of Health Sciences
Ministry of Health and Welfare
Tokyo, Japan

Dr J.L. Herrman *WHO Joint Secretary*
International Programme on Chemical Safety
World Health Organization
Geneva, Switzerland

Mrs E. Heseltine
Communication in Science
Lajarthe
Saint-Léon-sur Vézère, France

Dr Jens-Jørgen Larsen (WHO Temporary Adviser)
Head, Department of General Toxicology
Institute of Toxicology
National Food Agency of Denmark
Søborg, Denmark

Mr A.F. Machin
London, UK

Dr D. McGregor
Unit of Carcinogen Identification and Evaluation
International Agency for Research on Cancer
Lyon, France

Dr A. Moretto (WHO Temporary Adviser)
Università di Padova
Istituto di Medicina del Lavoro
Padova, Italy

Dr G. Moy
Food Safety Unit
Division of Food and Nutrition
World Health Organization
Geneva, Switzerland

Mr W. Murray *FAO Joint Secretary*
Plant Protection Service
Plant Production & Protection Division
Food and Agriculture Organization of the United Nations (FAO)
Rome, Italy

Dr. B. Röstel-Peters
Detached National Expert
Pharmaceuticals
Commission of the European Communities
Brussels, Belgium

Dr G. Vettorazzi (WHO Temporary Adviser)
International Toxicology Information Centre (ITIC)
San Sebastian, Spain

Mr M. Walsh
Principal Administrator EEC
Commission of the European Communities
Législation des produits végétaux et de nutrition animale
Brussels, Belgium

Mr M. Watson (WHO Temporary Adviser)
 Head, Risk Evaluation Branch
 Pesticides Safety Directorate
 Ministry of Agriculture, Fisheries and Food
 York, UK

Dr Y. Yamada
 Food Standards Officer
 Joint FAO/WHO Food Standards Programme
 Food and Agriculture Organization of the United Nations (FAO)
 Rome, Italy

ABBREVIATIONS WHICH MAY BE USED

Ache	acetylcholinesterase
ADI	acceptable daily intake
AFI(D)	alkali flame-ionization (detector)
ai	active ingredient
ALAT	alanine aminotransferase
approx.	approximate
ASAT	aspartate aminotransferase
BBA	Biologische Bundesanstalt für Land- und Forstwirtschaft
bw	body weight
(not b.w.)	
c	centi- ($\times 10^{-2}$)
CA	Chemical Abstracts
CAS	Chemical Abstracts Services
CCPR	Codex Committee on Pesticide Residues
ChE	cholinesterase
CNS	central nervous system
cv	coefficient of variation
CXL	Codex Maximum Residue Limit (Codex MRL). See MRL.
DFG	Deutsche Forschungsgemeinschaft
DL	racemic (optical configuration, a mixture of dextro- and laevo-)
DP	dustable powder
DS	powder for dry seed treatment
EBDC	ethylenebis(dithiocarbamate)
EC	(1) emulsifiable concentrate (2) electron-capture [chromatographic detector]
ECD	electron-capture detector
EMDI	estimated maximum daily intake
EPA	Environmental Protection Agency
ERL	extraneous residue limit
ETU	ethylenethiourea
F ₁	filial generation, first

F ₂	filial generation, second
f.p.	freezing point
FAO	Food and Agriculture Organization of the United Nations
FDA	Food and Drug Administration
FID	flame-ionization detector
FPD	flame-photometric detector
g (not gm)	gram
µg	microgram
GAP	good agricultural practice(s)
GC-MS	gas chromatography - mass spectrometry
G.I.	gastrointestinal
GL	guideline level
GLC	gas-liquid chromatography
GLP	Good Laboratory Practice
GPC	gel-permeation chromatography
GSH	glutathione
h (not hr)	hour(s)
ha	hectare
Hb	haemoglobin
hl	hectolitre
HPLC	high-performance liquid chromatography
HPLC-MS	high-performance liquid chromatography - mass spectrometry
IBT	Industrial Bio-Test Laboratories
i.d.	internal diameter
i.m.	intramuscular
i.p.	intraperitoneal
IPCS	International Programme on Chemical Safety
IR	infrared
IRDC	International Research and Development Corporation (Mattawan, Michigan, USA)
i.v.	intravenous
JMPR	Joint FAO/WHO Meeting on Pesticide Residues (Joint Meeting of the FAO Panel of Experts on Pesticide Residues in Food and the Environment and a WHO Expert Group on Pesticide Residues)
LC	liquid chromatography
LC ₅₀	lethal concentration, 50%
LC-MS	liquid chromatography - mass spectrometry
LD ₅₀	lethal dose, median
LOAEL	lowest observed adverse effect level
LOD	limit of determination (see also "*" at the end of the Table)
LSC	liquid scintillation counting or counter
MFO	mixed function oxidase
µm	micrometre (micron)
min	minute(s)
(not min.)	
MLD	minimum lethal dose

M	molar
mo	month(s)
(not mth.)	
MRL	Maximum Residue Limit. MRLs include <u>draft</u> MRLs and <u>Codex</u> MRLs (CXLs). The MRLs recommended by the JMPR on the basis of its estimates of maximum residue levels enter the Codex procedure as draft MRLs. They become Codex MRLs when they have passed through the procedure and have been adopted by the Codex Alimentarius Commission.
MS	mass spectrometry
MTD	maximum tolerated dose
n	normal (defining isomeric configuration)
NCI	National Cancer Institute (United States)
NMR	nuclear magnetic resonance
NOAEL	no-observed-adverse-effect level
NOEL	no-observed-effect level
NP(D)	nitrogen-phosphorus (detector)
NTE	neuropathy target esterase
OP	organophosphorus pesticide
PHI	pre-harvest interval
ppm	parts per million. (Used only with reference to the concentration of a pesticide in an experimental diet. In all other contexts the terms mg/kg or mg/l are used).
PT	prothrombin time
PTT	partial thromboplastin time
PTU	propylenethiourea
RBC	red blood cell
s.c.	subcutaneous
SC	suspension concentrate (= flowable concentrate)
SD	standard deviation
SE	standard error
SG	water-soluble granule
SL	soluble concentrate
SP	water-soluble powder
sp./spp.	species (only after a generic name)
sp gr	specific gravity
(not sp. gr.)	
t	tonne (metric ton)
T ₃	tri-iodothyronine
T ₄	thyroxine
TADI	Temporary Acceptable Daily Intake
tert	tertiary (in a chemical name)
TLC	thin-layer chromatography
TMDI	theoretical maximum daily intake
TMRL	Temporary Maximum Residue Limit
TPTA	triphenyltin acetate
TPTH	triphenyltin hydroxide

TSH	thyroid-stimulating hormone (thyrotropin)
UDMH	1,1-dimethylhydrazine (unsymmetrical dimethylhydrazine)
USEPA	United States Environmental Protection Agency
USFDA	United States Food and Drug Administration
UV	ultraviolet
v/v	volume ratio (volume per volume)
WG	water-dispersible granule
WHO	World Health Organization
WP	wettable powder
wt/vol	weight per volume
w/w	weight ratio (weight per weight)
<	less than
≤	less than or equal to
>	greater than
≥	greater than or equal to
*	(following residue levels, e.g. 0.01* mg/kg): level at or about the limit of determination

INTRODUCTION

The report of the Joint Meeting of the FAO Panel of Experts on Pesticide Residues in Food and the Environment and the WHO Expert Group on Pesticide Residues, held in Rome, 19-28 September 1994, contains a summary of the evaluations of residues in foods of the various pesticides considered as well as information on the general principles followed by the Meeting. The present document contains summaries of the residues data considered, together with the recommendations made.

The Evaluations are issued in two parts:

Part I: Residues (by FAO)

Part II: Toxicology (by WHO)

For those interested in both aspects of pesticide evaluation, not only both parts but also the reports containing summaries of residue and toxicological considerations will be available. Special attention is drawn to Annex I containing updated ADIs, MRLs, temporary ADIs and MRLs, and GLs, which also appears in full as part of the report of the Meeting.

Some of the compounds considered at this Meeting have been previously evaluated and reported on in earlier publications. In general only new information is summarized in the relevant monographs and reference is made to previously published evaluations, which should also be consulted. In the case of older compounds which are re-evaluated as part of the periodic review programme of the Codex Committee on Pesticide Residues (CCPR) however a comprehensive review of all available data, including data which may have previously been submitted, is carried out. Compounds evaluated for the first time are indicated by a single asterisk and those evaluated in the CCPR periodic review programme by a double asterisk in the Table of Contents.

The name of the compound appearing as the title of each monograph is followed by its Codex Classification Number in parentheses.

References to previous Reports and Evaluations of Joint Meetings are listed in Annex II.

Acknowledgements

The monographs in these Evaluations were prepared by the following participants in the 1994 JMPR for the FAO Panel of Experts on Pesticide Residues in Food and the Environment:

Dr. D.C. Abbott, Dr. A. Ambrus, Dr. U. Banasiak, Mr. D.J. Hamilton, Mr. N.F. Ives,
Mr. A.F. Machin, Ms. E. Masoller, Mr B. Murray, Mr. T. Sakomoto and Dr. B. Worobey.

Note: Any comments on residues in food and their evaluation should be addressed to the:

Pesticide Residue Specialist
Plant Protection Service
Plant Production and Protection Division
Food and Agriculture Organization
Viale delle Terme di Caracalla
00100 Rome, Italy

